



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PITTIER³¹ has published a revision of the Mexican and Central American species of *Lonchocarpus*, recognizing 40 species, 24 of which are described as new. He also describes 4 new species of the same genus from South America.

SMALL³² has described a long known but unstudied tree cactus of the Florida Keys as a new species (*Cephalocereus Deeringii*). It had been "assumed to be identical with the species of *Cephalocereus* long known to grow on Key West."

SMITH,³³ in a first paper of a series of studies of *Lupinus*, describes a new species (*L. subvexus*) from California.

SWINGLE³⁴ has described a new genus (*Pamburus*) of Aurantiaceae related to *Citrus*. It is a native of India, and as yet includes only the type species *P. missionis*, which is *Limonia missionis* Wight. The same author³⁵ has also described *Pleiospermium* as another new genus related to *Citrus*, founded on *Limonia* Wight and Arn., and including two species.—J. M. C.

Embryo sac and embryo of Phaseolus.—Miss BROWN³⁶ has described the details of the development of the embryo sac and the embryo of *Phaseolus vulgaris*. The only previous study of this genus was by GUIGNARD in 1881, in his general work on Leguminosae, in which *P. multiflorus* is described. The details for *P. vulgaris* introduce no unusual situation, but it is valuable to know the facts in reference to so conspicuous a species.—J. M. C.

Fruit drop.—HODGSON³⁷ believes he has found a correlation between the June drop of the Washington navel orange and the daily fall in water content of the fruit and foliage. He says, "inasmuch as in the case of certain other plants the abscission of young fruits has been shown to be due to abnormal water relations, it is suggested that such may be the case here."—WM. CROCKER.

³¹ PITTIER, HENRY, The Middle American species of *Lonchocarpus*. Contrib. U.S. Nat. Herb. 20:37-93. pls. 6. figs. 43. 1917.

³² SMALL, JOHN K., The tree Cacti of the Florida Keys. Jour. N.Y. Bot. Gard. 18:199-203. pl. 206. 1917.

³³ SMITH, CHARLES PIPER, Studies in the genus *Lupinus*. 1. A new species of the subgenus *Platycarpus*. Bull. Torr. Bot. Club 44:405, 406. 1917.

³⁴ SWINGLE, WALTER T., *Pamburus*, a new genus related to *Citrus*, from India. Jour. Wash. Acad. Sci. 6:335-338. 1916.

³⁵ ———, *Pleiospermium*, a new genus related to *Citrus*, from India, Ceylon, and Java. Jour. Wash. Acad. Sci. 6:426-431. 1916.

³⁶ BROWN, MABEL MARY, The development of the embryo sac and of the embryo in *Phaseolus vulgaris*. Bull. Torr. Bot. Club 44:535-544. pls. 25, 26. 1917.

³⁷ HODGSON, R. W., Some abnormal water relations in *Citrus* trees of the arid southwest and their possible significance. Univ. Calif. Publ. Agric. Science 3:37-54. 1917.